

SAFETY DATA SHEET MYSTROL

SECTION 1: Identification of the	SECTION 1: Identification of the substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	MYSTROL	
Product number	A042 EV	
Internal identification	Janitorial	
1.2. Relevant identified uses of	of the substance or mixture and uses advised against	
Identified uses	Alkaline Liquid Hard Surface Cleaner. & Degreaser	
1.3. Details of the supplier of t	he safety data sheet	
Supplier		
	Evans Vanodine International	
	Brierley Road	
	Walton Summit	
	Preston. UK. PR5 8AH Tel: 01772 322 200	
	Fax: 01772 626 000	
	qclab@evansvanodine.co.uk	
1.4. Emergency telephone nu		
Emergency telephone	New Safety Data Sheets - 8.30am to 4.45pm - 01772 322 200 - Mon to Fri. (Also available	
	24/7 from our website www.evansvanodine.co.uk) Technical Advice - 8.30am to 4.45pm - 01772 318 818 - Mon to Fri	
SECTION 2: Hazards identific	ation	
2.1. Classification of the subst	ance or mixture	
Classification (EC 1272/2008)		
Physical hazards	Not Classified	
Health hazards	Skin Irrit. 2 - H315 Eye Dam. 1 - H318	
Environmental hazards	Not Classified	
2.2. Label elements		
Pictogram		
Signal word	Danger	
Hazard statements	H315 Causes skin irritation.	
	H318 Causes serious eye damage.	

Precautionary statements	 P102 Keep out of reach of children. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301 IF SWALLOWED: P313 Get medical advice/ attention. P302+P352 IF ON SKIN: Wash with plenty of water. P332+P313 If skin irritation occurs: Get medical advice/ attention. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P315 Get immediate medical advice/ attention.
	P501 Dispose of contents/ container in accordance with local regulations.
Contains	2-AMINOETHANOL, ALCOHOL (C9-C11) ETHOXYLATE (6EO)

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

	5-10%
EC number: 203-539-1	
	5-10%
EC number: 225-878-4	
	1-3%
EC number: 205-483-3	REACH registration number: 01- 2119486455-28
H335) ≥ 5%	
	EC number: 225-878-4 EC number: 205-483-3

ALCOHOL (C9-C11) ETHOXYLATE (6EO)

CAS number: 68439-46-3

Alternative CAS No 68439-45-2

Classification

Acute Tox. 4 - H302 Eye Dam. 1 - H318

ALCOHOL (C9-11) ETHOXYLATE (8EO)

CAS number: 68439-45-2

Alternative CAS No 13598-36-2

Classification

Acute Tox. 4 - H302 Eye Dam. 1 - H318

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Ingestion	Do not induce vomiting. Give plenty of water to drink. Get medical attention.
Skin contact	Wash with plenty of water. Get medical attention if irritation persists after washing.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse. Get medical attention immediately.
4.2. Most important symptoms and effects, both acute and delayed	
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Irritation of nose, throat and airway.
Ingestion	May cause discomfort if swallowed.
Skin contact	Causes skin irritation. Prolonged and frequent contact may cause redness and irritation.
Eye contact	Severe irritation, burning and tearing. Prolonged contact causes serious eye and tissue damage.
4.3. Indication of any immediate medical attention and special treatment needed	
Notes for the doctor	Treat symptomatically.
SECTION 5: Firefighting measures	

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours.

5.3. Advice for firefighters

1-3%

1-3%

Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Wear protective clothing, gloves, eye and face protection. For personal protection, see Section 8.
6.2. Environmental precaution	<u>S</u>
Environmental precautions	Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.
6.3. Methods and material for containment and cleaning up	
Methods for cleaning up	Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.
6.4. Reference to other sections	
Reference to other sections	For personal protection, see Section 8.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	ling
Usage precautions	Wear protective clothing, gloves, eye and face protection.
7.2. Conditions for safe storag	e, including any incompatibilities
Storage precautions	Keep only in the original container in a cool, well-ventilated place. Store away from the following materials: Oxidising materials.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
Usage description	See Product Information Sheet & Label for detailed use of this product.
SECTION 8: Exposure Controls/personal protection	
8.1. Control parameters Occupational exposure limits	

Occupational exposure limits

1-METHOXY-2-PROPANOL

Long-term exposure limit (8-hour TWA): WEL 100 ppm 375 mg/m³ Short-term exposure limit (15-minute): WEL 150 ppm 560 mg/m³ Sk

2-AMINOETHANOL

Long-term exposure limit (8-hour TWA): WEL 1 ppm 2.5 mg/m³ Short-term exposure limit (15-minute): WEL 3 ppm 7.6 mg/m³ Sk WEL = Workplace Exposure Limit Sk = Can be absorbed through the skin.

8.2. Exposure controls

Protective equipment



Revision: 6

MYSTROL

Appropriate engineering controls	Not relevant.
Eye/face protection	Wear eye protection.
Hand protection	Wear protective gloves. (Household rubber gloves.)
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Respiratory protection	Respiratory protection not required.
SECTION 9: Physical and Che	emical Properties
9.1. Information on basic phys	ical and chemical properties
Appearance	Clear liquid.
Colour	Fluorescent. Yellow.
Odour	Citrus.
рН	pH (concentrated solution): 11.80
Melting point	-2°C
Initial boiling point and range	100°C @ 760 mm Hg
Flash point	Boils without flashing.
Relative density	1.010 @ 20°C
Solubility(ies)	Soluble in water.
9.2. Other information	
Other information	None.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	No particular stability concerns.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	See sections 10.1,10.4 & 10.5
10.4. Conditions to avoid	
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
10.6. Hazardous decomposition	on products
Hazardous decomposition products	No known hazardous decomposition products.
SECTION 11: Toxicological information	

11.1. Information on toxicological effects

Toxicological effects	We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.
Other health effects	Low oral toxicity, but ingestion may cause irritation of the gastro-intestinal tract.
Acute toxicity - oral	
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
ATE oral (mg/kg)	17,995.54
Acute toxicity - dermal	
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
ATE dermal (mg/kg)	75,552.46
Acute toxicity - inhalation Notes (inhalation LC50)	Based on available data the classification criteria are not met.
ATE inhalation (vapours mg/l)	755.52
SECTION 12: Ecological Inform	
Ecotoxicity	Not regarded as dangerous for the environment.
12.1. Toxicity	
Toxicity	We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.
12.2. Persistence and degrada	ability
Persistence and degradability	The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.
12.3. Bioaccumulative potentia	
Bioaccumulative potential	The product does not contain any substances expected to be bioaccumulating.
12.4. Mobility in soil	
Mobility	Not known.
12.5. Results of PBT and vPvE	3 assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	Not known.
SECTION 13: Disposal consid	erations
13.1. Waste treatment method	<u>S</u>
Disposal methods	Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal by approved waste contractor. Rinse out empty container with water and consign to normal waste.
SECTION 14: Transport information	

Not classified for Transport.

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not relevant. for a packaged product. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Safety Data Sheet prepared in accordance with REACH Commission Regulation (EU) No
	2015/830 (which amends Regulation (EC) No 453/2010 & 1907/2006).
	The product is as classified under GHS/CLP- Regulation (EC) No 1272/2008 classification,
	labelling & packaging of substances & mixtures.
	Ingredients are listed with classification under GHS/CLP - Regulation (EC) No 1272/2008
	classification, labelling & packaging of substances & mixtures.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	 PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative. ATE: Acute Toxicity Estimate. REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006. GHS: Globally Harmonized System. Spec Conc Limits = Specific Concentration Limits.
Classification abbreviations and acronyms	Acute Tox. = Acute toxicity Aquatic Chronic = Hazardous to the aquatic environment (chronic) Eye Dam. = Serious eye damage Eye Irrit. = Eye irritation Flam. Liq. = Flammable liquid Skin Corr. = Skin corrosion Skin Irrit. = Skin irritation STOT SE = Specific target organ toxicity-single exposure
Key literature references and sources for data	Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of harmonised classification and labeling of hazardous substances. ECHA - C&L Inventory database.
Classification procedures according to Regulation (EC) 1272/2008	Calculation Method.
Revision comments	Safety Data Sheet amended in accordance with REACH Commission Regulation (EU) No 2015/830 amendment. (Changes to Sections 2,3,15&16)
Revision date	01/08/2017

6
The Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard Statements relating to this Product see Section 2.
H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H412 Harmful to aquatic life with long lasting effects.