# Enhance™

# Ultra high solids floor polish





Premium, metallised emulsion floor polish for prestigious areas. Dries to an extra durable, brilliant, wet look, slip resistant finish.

Superior response to high and ultra high speed burnishing.



Extremely scuff resistant - easier to clean and maintain.



- Ideal for very high traffic areas.
- Excellent levelling properties for easy application and to ensure a smooth even finish.
- · Suitable for most hard floors including vinyl, rubber, linoleum, terrazzo & sealed surfaces.
- Coverage per 5 L 400/500 sq. metres for 1 coat.
- · Approved for POLYFLOR flooring.

## **FLOOR POLISHING:**

- 1. Ensure floor is clean, dry & neutral.
- 2. Use undiluted.
- 3. Pour polish into clean bucket or tray, alternatively pour directly onto the floor in a thin line.
- 4. Place clean mop or applicator into polish and spread thinly and evenly in WEST to EAST direction.
- 5. Leave to dry for approximately 30 minutes.
- 6. Apply a further coat of polish thinly & evenly at right angles to first i.e. NORTH to SOUTH. Leave a 10 cm gap at the floor edge to avoid a build up.
- 7. Leave to dry for approximately 30 minutes.
- 8. A third coat may be required in heavy traffic areas or on old or worn floors.

# **RELATED ITEMS:**

- Easy Strip<sup>™</sup> Floor polish stripper.
- · Clean & Shine Floor maintainer.
- Floor & Carpet Care Guide.
- · Floorcare Wallchart.









### Order Code: A098EEV2

Pack: 2 x 5 litre (10.93 kg) Pallet: 60 Packs

### PRODUCT INFORMATION:

Appearance: Opaque white liquid Odour: Characteristic

pH - undiluted: 8.6 Shelf life: 3 years

#### COMPOSITION:

Contains an aqueous dispersion of metallised acrylic co-polymers, wax emulsion, plasticisers, coalescent, defoamer, levelling agent & preservative.

BIODEGRADABILITY: All surfactants used in Evans Vanodine products comply with the current European Regulations concerning biodegradability & protection of the environment.

QUALITY ASSURANCE: This product is manufactured in the U.K. by EVANS VANODINE INTERNATIONAL PLC under an ISO 9001 Quality Management System Cert. No. FM 09535 and an ISO 14001 Environmental Management System Cert. No. EMS 506072 registered by the British Standards Institution.

REVISION DATE:

01/06/16





